GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Water Resources Department - Allocation of 400 KLD (0.1635 cusecs) of surface water from Paamuleru Vaagu and Bhupati Palem Reservoir located in East Godavari District, A.P. in the ratio of 50:50 from each of the two sources for **"Life time"** by SRSVLC Beverages Pvt. Ltd., Ramachandrqapuram(V), Gokavaram (M), E.G. Dist. - Permission accorded - Orders – Issued.

WATER RESOURCES (REFORMS) DEPARTMENT

G.O.Ms.No. 44 **Dated:11-07-2022**
Read the following:

1. From the Chairman, SRSVLC Beverages Pvt. Ltd., Bapulapadu, Hanuman Junction, Krishna District, letter dt. 28.07.2021.
2. Govt. Memo No. ICD01-COOR0MISC/42/Reforms/2021-1, Dt.19/08/2021 and 07.10.2021.
3. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE1/AEE2/IWS (SRSVLS Beverages) , dt. 28.03.2022.
4. Govt. Memo No. ICD01-COOR0MISC/42/Reforms/2021-3, Dt.11/04/2022.
5. From the ENC (I), WRD, Lr. No. ENC(I)/EE/DEE1/AEE2/IWS (SRSVLS Beverages) , dt. 13.05.2022.

***

ORDER:

In the letter 1st read above, the Chairman, SRSVLC Beverages Pvt. Ltd., Bapulapadu, Hanuman Junction, Krishna District, has stated that they are planning to set up a Water Purification System at Ramannapalemu(V), Gokavaram(M), East Godavari Dist. and requested the Government to grant necessary approvals for drawal of 400 KL per day of surface water from the sources of Paamuleru Vaagu and Bhupati Palem Reservoir located in East Godavari District, A.P.

2. In the letters 3rd and 5th read above, the Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada based on the report submitted by the Chief Engineer, Minor Irrigation, Vijayawada has recommended the proposal to the Government to accord permission to M/s SRSVLS Beverages Pvt. Ltd., for drawl of 200 KLD of water from Paamuleru Vaagu and 200 KLD of water from Bhupati Palem Reservoir (total 400 KLD) i.e. in the ratio of 50:50 from each of the above two sources for "life time" of the industry, subject to the following terms and conditions:

1. The water can be spared subject to the availability of water in the water sources.
2. The entire cost of construction of intake well, pump house, pipelines excavation etc., should be borne by the industry only.
3. Water meters or suitable measuring devices should be installed by the industry at their own cost to measure the water consumed and should be made available to the Departmental Authorities and the representatives of the users shall be present at all time of inspection. The water meter shall be periodically calibrated and kept sealed. The period of calibration will be specified by the Department.
4. The industry should pay the water rate at the existing rates and subject to revision by the Government from time to time. The industry should pay royalty charges as per the G.O.Ms No 1 , Industries & Commerce (P&I) Department, dt.12-01-2022 at the rate of Rs 120 per KL as the water is used for consumptive use or at the revised rates fixed by the Government from time to time.

5. In case of failure to pay water rate/royalty the permissions to draw water shall stands cancelled.
6. The industry shall obtain the prior concurrence from concerned Departments for laying pipelines and for crossing etc., where ever necessary.
7. No field bodhi or pipeline shall be taken through or along with Government land without approval of Government and if permission accorded by the Government, the lease should be paid as fixed by Government only.
8. The industry should make their own arrangements to dispose the treated effluents as per norms of A.P. Pollution Control Board in their premises only and should obtain prior permission if any needed from Government to dispose treated effluents in their natural sources. Necessary clearance from the A.P. Pollution Control Board is to be obtained in this regard by the firm before drawl of water from the source.
9. The Water Resources Department reserves the right for cancellation of the permission without assigning any reasons thereof.
10. The Water Resources Department is no way responsible for non-supply of water due to any reasons.
11. The industry must acquire the private land for installation of pumping arrangements. If the industry proposes to utilize Government land for installation of pump house, necessary permissions is to be obtained from the Government, for leasing the land and the lease amount fixed is to be paid by the industry.
12. The industry must strengthen the river margin 100m from the toe to the River Flood Bank.
13. The industry has to lay CC(1:4:8) before laying the pipeline and CC(1:2:4) over the pipeline refill the pipeline with proper soils and consolidate the banks as directed by the Department.
14. The industry has to construct CC walls to avoid leakage at pipeline crossing.
15. The water drawn from both the water sources should utilized for the purpose for which the permission is granted.
16. The Industry should follow the Revenue Board Standing Orders.
17. The Industry shall pay Security Deposit at 5% on 10 years water charges for which permission is granted.
18. The industry shall pay one year water charges as advance and any amount due to the Department before entering into agreement.
19. The Industry has to conclude agreement with the officers concerned of Water Resources Department.
20. The Industry shall abide by R.C.Act-1884 and any other condition laid down by the Government / Water Resources Department from time to time.
21. The Industry should make its own arrangements for summer storage in their premises only and to conclude agreements accordingly.
22. The Industry has to pay the water charges for the estimated quantity in advance at the start of the financial year i.e., before 10th April every year as per BSO.
23. Under any circumstances, the consumptive utilization should not exceed the quantum of water allotted by the Government.
24. The proposed drawl for this plant should not affect Lower Riparian Rights (LRR) and Upper Riparian Rights (URR) in any manner.
25. The Department is no way responsible for any damages that may occur to the off take point due to floods in Paamuleru Vaagu/ Bhupati Palem Reservoir or on an account of any other reasons.
26. The permission does not confer any riparian right to the industry.
27. Non-adherence to any of the above condition by the industry will entail cancellation of the permission.
28. The industry has to produce the relevant records for Departmental verification at the end of each quarter periodically.
29. The concerned Executive Engineer will be responsible for enforcing the conditions.

3. After careful examination of the matter and on the recommendations of the Engineer-in-Chief (Irrigation), Water Resources Department, Government hereby accord permission to M/s SRSVLS Beverages Pvt. Ltd., Ramannapalem (V), Gokavaram (M), East Godvari Dist., for drawl of 200 KLD of water from Bhupatipalem Reservoir and 200 KLD of water from Paamuleru Vaagu (i.e total 400 KLD) from these two water sources, (in the ratio of 50:50 from each of the two sources) for the **"life time"** of the industry, subject to the terms and conditions as mentioned at Para (2) above. In case, if the industry is getting closed, then the allocation may automatically get cancelled.

4. The Engineer-in-Chief (Irrigation), Water Resources Department, Vijayawada, Chief Engineer, Minor Irrigation, Vijayawada and the Collector & District Magistrate of Krishna District shall take necessary action accordingly.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To
The Engineer-in-Chief (Irrigation), Water Resources Department,
Andhra Pradesh, Vijayawada.
The Chief Engineer, Minor Irrigation, Vijayawada.
The Collector & District Magistrate, Krishna District.
The Managing Director, A.P. Pollution Control Board, Vijayawada.
The Chairman, SRSVLS Beverages Pvt. Ltd., H.No.7-158, Bapulapadu, Hanuman Junction, Krishna District, A.P.

Copy to:
The Private Secretary to Hon'ble Minister for Water Resources Department.
The Private Secretary to the Principal Secretary to Government,
Water Resources Department, A.P. Secretariat, Velagapudi.
The Private Secretary to the Spl. Chief Secretary to Government,
I&CDepartment. A.P. Secretariat, Velagapudi.
SF/SC.

//FORWARDED::BY ORDER//

P.K. Bhanumurthy

SECTION OFFICER